

DR				1050				COS Read Mix-Ups				Priority High	
Harmonisation Status				CLOSED - Following discussion at HWG				CR Status		Withdrawn			
								Status Date		18/05/2011			
Date	Version	Reason For Change						Version Status					
11/05/2011	V1.0	Initial version issued to HWG. Reclassified at HWG 6/4/2011 as Harmonisation Impacting and text has been updated to reflect impact on ESN. HWG 18/5/2011 agreed to withdraw this DR as it would not be acceptable to NIE T&D either.						Final					
<b>PART 1 DETAIL OF DISCUSSION REQUEST/MARKET CHANGE REQUEST:</b>													
Requesting Organisation(s)		Airtricity				Originating Jurisdiction		ROI					
Contact name		Siobhan Leane											
Date Request Raised		22/02/2011				Originating Request							
<b>Detail of Request</b>													
<b>Reason for Request</b>													
It is not possible to always identify from the actual meter what register type a reading is associated with so a large number of reads provided for change of supplier fail market validation because they are submitted against the incorrect register. This results in reads being rejected and slows down the CoS process.													
<b>Proposed Solution</b>													
Request that where it is obvious that valid readings have been provided for CoS but are assigned by the supplier against an incorrect register that NIE T&D or ESN will swop the readings and assign to the correct register so that the CoS proceeds rather than the CoS being rejected/ timed out.													
<b>Classification of Request</b>													
Harmonisation Impacting				X		Harmonisation Baseline Version No.							
NI Specific		RoI Specific		Operational		Date of Transfer from HWG							
<b>Scope of Request</b>													
Design Documentation	Business Process	Market & MP Systems	Market Gateway (Hub)	MPCC/ EMMA	Schema	Web Forms	Extranet						
	X												
<b>Harmonisation Baseline Documents impacted by Request</b>													
Market Messages:	No impact												
Data Definitions:	No impact												
Data Codes:	No impact												
RoI MM Guide:	No impact												
NI MM Guide:	No impact												
Harm. Impact (RoI):	No impact												
Comment:													

<b>DR</b>	<b>1050</b>	<b>COS Read Mix-Ups</b>	<i>Priority</i> <b>High</b>
<b>Jurisdictional Market Design Baseline Documents impacted by Request</b>			
<b>Market Process Diagrams (MPDs):</b>	TBD		
<b>Guidance Documentation:</b>	TBD		
<b>Briefing Documents:</b>	TBD		
<b>User and Technical Documents:</b>	TBD		
<b>Comment:</b>			

<b>PART 2 MARKET ASSURANCE:</b>					
<b>Applicability</b>	DSO	Suppliers	TSO	SEMO	Generators
<b>Scope of Test</b>	Business Solution Assessment	Integration Test Assessment	Data Transfer Testing	IPT	Other (specify)

<b>PART 3 RECOMMENDATION</b>						
<b>Recommended by</b>		SIG		IGG		HWG
<b>ACCEPTANCE (Date)</b>	<b>REJECTION (Date)</b>	<b>NO RECOMMENDATION</b>	<b>COMMENT</b>			
<b>Reason for Recommendation</b>						