

DR	1072	Removal of Data Aggregation Estimated Interval Readings at D+4	<i>Priority</i> Fast Track				
Harmonisation Status		CLOSED - Jurisdictional Specific	CR Status Approved				
			Status Date 18/05/2011				
Date	Version	Reason For Change	Version Status				
11/05/2011	v1.0	Initial version issued to HWG	Final				
PART 1 DETAIL OF DISCUSSION REQUEST/MARKET CHANGE REQUEST:							
Detail of Request							
Requesting Organisation(s)	NIE		Originating Jurisdiction NI				
Contact name	Joan-Edel Smith						
Date Request Raised	06/05/2011	Originating Request -					
Reason for Request							
<p>Currently where an entire day's readings are missing for Interval MPRNs for a D+4 data aggregation run the Data Aggregation system (OULPS) generates estimates (kWh only) for use in settlement and also sends this data to Suppliers through Market Message 341. For the Enduring Solution, this Discussion Request proposes to remove the requirement to send Data Aggregation estimated 341 market messages at D+4 (kWh only). Further Harmonisation.</p>							
Proposed Solution							
<p>SAP estimated data will be used for settlement but will not be sent to Suppliers at D+4 (kWh only) through estimate 341 Market Message. When actual values and/or MV90 estimated data is subsequently received for these MPRNs, this will be sent on to Suppliers using Market Message 341 (kWh/kVArh). As before, where actual data and/or MV90 estimated data is received by D+4, this will be used for settlement and forwarded to Suppliers using Market Message 341 as usual.</p>							
Classification of Request							
Harmonisation Impacting							
NI Specific	X	RoI Specific					
Harmonisation Baseline Version No.		Date of Transfer from HWG					
Operational		TBD					
Scope of Request							
Design Documentation	Business Process	Market & MP Systems	Market Gateway (Hub)	MPCC/ EMMA	Schema	Web Forms	Extranet
X	X	X				X	
Harmonisation Baseline Documents impacted by Request							
Market Messages:	No impact						
Data Definitions:	No impact						
Data Codes:	No impact						
RoI MM Guide:	No impact						
NI MM Guide:	No impact						
Harm. Impact (RoI):	No impact						
Comment:							

DR	1072	Removal of Data Aggregation Estimated Interval Readings at D+4	<i>Priority</i> Fast Track
-----------	-------------	---	--------------------------------------

Jurisdictional Market Design Baseline Documents impacted by Request	
Market Process Diagrams (MPDs):	TBD
Guidance Documentation	TBD
Briefing Documents:	TBD
User and Technical Documents:	TBD
Comment:	TBD

PART 2 MARKET ASSURANCE:					
Applicability	DSO	Suppliers	TSO	SEMO	Generators
		X			
Scope of Test	Business Solution Assessment	Integration Test Assessment	Data Transfer Testing	IPT	Other (specify)
	X	X	X	X	

PART 3 RECOMMENDATION							
Recommended by		SIG		IGG		HWG	
ACCEPTANCE (Date)	REJECTION (Date)	NO RECOMMENDATION	COMMENT				
Reason for Recommendation							