

MIG Design Discussion Request

Discussion Request Number	Title	Priority
DR 0027	Sending customer service and medical equipment special needs on 105 message	High

Name of Requesting Organisation	<i>Bord Gais</i>
Contact name	<i>John Simpson</i>
Date Request sent to ESB MOIP	<i>8/04/04</i>

Detail of Discussion Request	
<p>We request clarification on MARKET MESSAGE 105 optionality for issue to the new supplier regarding Medical needs and specials needs. At present in the market message it is described as "see description"</p> <p>We seek this information to be automatically provided – where the data is available on the market systems - to ensure the MM 105 is fully populated. As the large majority of data is currently resident in the host PES this would ensure the market is provided with this information.</p> <p>Accordingly the full message 105 should ONLY be sent to the new supplier from data provided by them or the market. If there is any inconsistency this should be notified to the new supplier to enable accurate updates provided for DSO.</p>	
Reason for Discussion Request	
<p>The fact that only message data which originated from a new supplier is being issued on a confirm message is of concern in that -is this the only source of data the market will have from its full 'birth' in 2005</p>	
Market Design Documents impacted by Request	
<p>Ver 4.1 of Market Messages – 105 Change of Supplier Confirmation Message</p>	
Date of MIG where discussed	
Change Request xref (if applicable)	