

## Form A – MIG Design Discussion Request

Discussion Request Number	Title	Priority
<i>DR 0054</i>	<i>Changes to 114 Message</i>	<i>HIGH</i>

<b>Name of Requesting Organisation</b>	<i>Airtricity</i>
<b>Contact name</b>	<i>Siobhan Leane</i>
<b>Date Request sent to ESB MOIP</b>	<i>21/06/04</i>

### Detail of Discussion Request

*Change of usage details to be included in Message 114 rather than just a flag. This change should be made for market opening.*

### Reason for Discussion Request

If a change of usage is being advised by the meter reader it could cause problems for the supplier & customer if only the change of usage flag is selected.

E.g. if a customer calls their supplier directly advising that a change of usage has occurred the supplier will make necessary changes to their system and send a message to Networks.  
 If in the mean time the meter reader observes the change he will notify Networks who will send a message 114 with change of usage flag selected and message type "advice" to supplier. The supplier will make the new change on their billing system which in effect reverses the customer's notification.

If the details of the change of usage were provided on message 114 then there would be no confusion as to whether a customer is a commercial or residential customer and there will be no negative impact on the customer.

### Market Design Documents impacted by Request

*XML schema V4.1*  
*Market Message Implementation Guide – customer data and agreements V4.1.1*

<b>Date of MIG where discussed</b>	<i>&lt;to be completed by ESB MOIP&gt;</i>
<b>Change Request xref (if applicable)</b>	<i>&lt;to be completed by ESB MOIP&gt;</i>