

Form A – MIG Design Discussion Request

Discussion Request Number	Title	Priority
<i>DR 0074</i>	Amendment to market message 208 to allow it to be sent by suppliers to dispute MRSO Readings.	<i>High</i>

Name of Requesting Organisation	<i>Airtricity</i>
Contact name	<i>Siobhan Leane</i>
Date Request sent to ESB MOIP	<i><to be completed by request originator></i>

Detail of Discussion Request	
<i>Amend Market Message 208 (Replacement Reading) to allow it to be sent by suppliers to dispute MRSO readings. This would involve changing some mandatory fields as suppliers may not always be able to provide a replacement reading but based on past consumption history will see that an MRSO actual/ estimate is out of line.</i>	
Reason for Discussion Request	
<i>There is no facility open to suppliers to dispute an MRSO actual/ estimate. Previously answers from the MOIP helpdesk advise suppliers to provide a customer reading or request a special reading which in turn will lead to a withdrawal & replacement of the estimated read. On receipt of the actual/ estimated read suppliers will be able to see how in line the reading is with previous consumption. In most cases to date there is no need for a special read to be obtained to prove that the estimate is out of line. Also customers are not always able to provide a customer read and again in most cases to date there is not need for customers to provide reads as it's obvious that the estimate is out of line.</i>	
Market Design Documents impacted by Request	
<i>MPDs 14, 9, 10, 11, 18. Implementation guides – Meter Works, Data Processing</i>	
Date of MIG where discussed	<i><to be completed by ESB MOIP></i>
Change Request xref (if applicable)	<i><to be completed by ESB MOIP></i>