

Form A – IGG Design Discussion Request

| Discussion Request Number | Title | Priority |
|---------------------------|---|-------------|
| DR 0131 | Updates to Meter Point Registration Rejection Market Messages for alignment of Wholesale & Retail Market Registrations for Trading sites | <i>High</i> |

| | |
|--|-------------------------------------|
| Name of Requesting Organisation | Retail Market Design Service |
| Contact name | Brona McKnight |
| Date Request sent to RMDS | 9th February 2007 |

| Date | Version | Reason for Change |
|-------------------------------|---------|--|
| 9 th February 2008 | 1.0 | <i>Initial draft of the DR document. This document has been created as a result of further detail and clarifications regarding the impact of the SEM on 111R, 102R, & 115R Rejection Messages v6.0</i> |
| | | |

| Detail of Discussion Request | |
|--|-----------------|
| <p>The Market Design documentation for Rejection Market Messages 111R, 102R and 115R were baselined at version 6.0, as part of the suite of changes to the Retail Market Design to satisfy new requirements of SEM implementation.</p> <p>The following clarifications are made in this DR:</p> <ul style="list-style-type: none"> • The new Reject Reason/Code 'TSR' will apply on Market Message 111R • The new Reject Reason/Code 'TSR' will apply on Market Message 102R • The new Reject Reason/Code 'TSR' will apply on Market Message 115R | |
| Reason for Discussion Request | |
| <i>SEM Implementation</i> | |
| Market Design Documents impacted by Request | |
| <p><i>111R Change of Supplier Cancellation Rejection v6.0</i></p> <p><i>102R Change of Supplier Registration Rejection v6.0</i></p> <p><i>115R Change of SSAC and/or Supplier Unit Rejection v6.0</i></p> | |
| Date of IGG where discussed | <i>01-02-07</i> |
| Change Request xref (if applicable) | |

| PART 2 MARKET ASSURANCE: | | | | |
|---------------------------------|-----------|-----|------------------|------------|
| Applicability | | | | |
| ESB Networks | Suppliers | TSO | SMO | Generators |
| X | X | | | |
| Scope of Test | | | | |
| Connectivity | DTT | MSA | IPT | Other |
| X | X | | X | |
| | | | No. Of Scenarios | |
| | | | TBC | |

| Scope of Discussion Request | | | | | | | |
|------------------------------------|------------------|---------------------|-----|--------------------|----------------|--------|-----------|
| Correction to Documentation | Business Process | Market & MP Systems | MPC | Readings Processor | Market Gateway | Schema | Web Forms |
| X | X | X | | | | X | |

1. Market Message Changes


1.1 MM111R

111R Message Specific Info



111R Message Specific Information V6.0

This change is reflected in the Message Specific Information in Aris



111R Valid Codes

Valid Codes

Reject Reason

CAN – The Old Supplier has not agreed to the cancellation request

IMS – A cancellation request is received for New Registration and the MPRN status is Energised

IRC – The Cancellation Reason Code is invalid

SNR – The Supplier submitting the cancellation request is not registered to this MPRN

TIM – The cancellation request has been received more than 65 days after effective date of Change of Supplier

IA – The 011 received was a duplicate request. MRSO Already have a valid, cancellation for this MPRN

TSR -Trading Site Rejection

Please Note:

Market Participant Business Reference


This is the reference as provided on the 011 request

1.2 MM102R



102R Message Specific Information V6

This change is reflected in the Message Specific Information in Aris



102R Message Specific Info

102R Valid Codes

Reject Reason

AMM – The Meter Point Address on the message does not match that held by DSO for the MPRN

COS – The last Change of Supplier was effective less than 20 days of receipt of this registration message

ICE – A permitted value for Estimate Acceptable has not been provided.

IDT – The Required Date on registration message is greater than 40 days in the future or is more than 3 days ago where a customer read is provided

IGU – The Generator Unit Id on the message does not match that held for the MPRN

IMF – The CoS Read Arrangement is 'MC' but the requested Meter Configuration Code is not valid

IMP – The MPRN does not exist or is for a Grouped Un-metered site (either at GMPRN or TMPRN level)

IMS – The MPRN status is not Energised or De-energised.

IRA – (i) The CoS Read Arrangement specified on registration message must be CR (Customer Read), SC (Scheduled Read), SP (Special Read) or MC (Meter Configuration Change).

IRA – (ii) CoS Read Arrangement 'CR' must not be specified for MD sites

IRA – (iii) CoS Read Arrangement 'CR' or 'SP' must be accompanied by a valid Required Date

NSA – The Supplier has not warranted that a Supply Agreement exists

CIP – A registration from another supplier is being processed for this MPRN

QHM – A CoS Read Arrangement was provided for a QH metered site

SAR – The Supplier submitting the registration is already registered to this MPRN

SNK – The Supplier Id is not known

SSS – SSAC is not allowed for use by the Supplier Unit or for the Settlement Class of the Meter Point

IEA – Invalid / incomplete EAI Code

TSR- Trading Site Rejected

Please Note: The 010 message can also be rejected for invalid / incomplete Data in the scenarios as indicated below


IID – The Customer is a Person but the request did not include a Customer Last Name

IID – The Customer is an Organisation but the request did not include a Customer Name Org_1

IID – Customer Name details provided contained a mixture of Person and Organisation fields

IID – A User rejected the request because data was invalid or incomplete

1.3 MM115R



115R Message Specific Info

115R Valid Codes

Valid Codes

Reject Reason

IMP – MPRN is not known to MRSO

SNR – Supplier is not registered to this Meter Point

SSS – SSAC is either not known to MRSO or is not allowed for use by the Supplier Unit or for the Settlement Class of the Meter Point

TIM – Required date fails date validation criteria for 015 Change of SSAC

TSR-Trading Site Rejected

Please Note:

Required Date and SSAC

Both these items are as requested / provided on the 015 message