

## Market Change Request

Change Request Number	Title	Priority
MCR 0009	Appointments Functionality	MED

### PART 1 CHANGE REQUEST:

Name of Requesting Organisation	ESB MOIP		
Contact name	Martin Hand		
Date Change Request Raised	06/04/04	Originating Discussion Doc	DR 0011

### Detail of Change Request

Suppliers will be allowed to make appointments for the following Call Types

- Re-Energise
- Re-Energise NPA
- Exch from D/T to S/T
- Exch from ST to D/T
- Remove NSH MT & T/S
- Install Token Meter
- Reset Token Meter
- De-Energise
- Remove Token Meter
- Token Meter Fault/Ex (If this is a no Supply situation is should be referred to Networks as a No Supply call with a Token Meter)
- Special test in-situ

Currently a market message (137R) is only triggered when the suppliers need to take a follow up action. It is proposed to modify the design so that ESB Networks will always generate a 137R when a supplier generated appointment is rejected by ESB Networks.

It will be necessary to add a new Reject Reason to the 137R market message. The Rejection reason is AR04 No Available Time Slot. It will be necessary to update the relevant MPDs to reflect the creation of the appointment and the sending of the 137R message

### Reason for Change Request

Ver 4.1 of market design documentation does not address the appointments functionality

### Identification of Baseline Products Impacted

Ver 4.1 of Data Codes – Reject Reason  
 Ver 4.1 of Meter Works Messages Implementation Guide  
 Ver 4.1 MPD 9 - De-energisation  
 Ver 4.1 MPD 10 – Re-energisation  
 Ver 4.1 MPD 11 – Change to Meter Configuration  
 Ver 4.1 XML Schema

### Description of Trading & Settlement Code Impact (if any)

*No Impact*

<b>Date that ESB MOIP issue Change Request</b>	07/04/04
<b>Date that ESB MOIP requires Response</b>	<i>Not Required</i>

<b>PART 2 RESPONSES AND MODIFICATIONS:</b>	
<b>Collation of Impact Assessment (from Form C)</b>	
<i>Not Applicable</i>	
<b>Modifications Included</b>	
<i>Not Applicable</i>	
<b>Reason for Modifications</b>	
<i>Not Applicable</i>	

<b>PART 3 ESB MOIP ASSESSMENT &amp; RECOMMENDATION:</b>	
<b>Part 3(a) ESB MOIP ASSESSMENT</b>	

<b>Summary of Impact Assessment</b>	
Updates to documentation set out under Part 1 above to address gaps in design as set out in ver 4.1 of design documents	
<b>Recommendation on Implementation Plan</b>	
Implement as part of 'go live' release of software	

<b>Part 3(b) RECOMMENDATION</b>			
<b>ACCEPTED</b>	<b>REJECTED</b>	<b>NO DECISION</b>	<b>COMMENT</b>
15/04/04			
<b>Reason for Recommendation</b>			
Recommend ACCEPTANCE as Ver 4.1 of market design documentation does not address the appointments functionality			
<b>Date of issue of ESB MOIP Assessment &amp; Recommendation</b>			
07/04/04			