

MCR	1018	To Allow Supplier Provided Readings received after 12 months to be validated in the same way as any other reading	<i>Priority</i> Fast Track
Harmonisation Status		CLOSED - Approved	CR Status Approved
			Status Date 26/10/10

Date	Version	Reason For Change	Version Status
04/10/2010	v1.0	Initial Version	Final
13/10/2010	v2.0	Converted from MCR - No changes from associated Discussion Request	Final

PART 1 DETAIL OF DISCUSSION REQUEST/MARKET CHANGE REQUEST:

Requesting Organisation(s)	NIE	Originating Jurisdiction	NI
Contact name	Joan-Edel Smith		
Date Request Raised	20/09/2010	Originating Request	DR 1018

Detail of Request	
Reason for Request	
<p>This Discussion Request proposes to remove the rule for NI which allows readings which have been provided by a Supplier, after a period of more than 12 months since previous readings, to be regarded as valid unless they are lower than the previous readings. This rule was introduced in the interim solution in NI as the result of change request CRID 114 which was raised due to concern that there was a very high probability that readings obtained after 12 months would fail normal reading validation and therefore would not be used to update EAC/AACs for Settlement or DUoS billing. During the Harmonisation Project and Requirements Review NIE has investigated the arrangements that apply for a similar readings scenario in RoI and now proposes to adopt the RoI process.</p> <p>To harmonise the rules on meter reading validation on Supplier provided readings</p>	
Proposed Solution	
<p>To validate all Supplier provided readings regardless of the period of time since previous readings were obtained. Where readings fail validation they can either be made plausible, or where implausible and estimation is permitted, estimated.</p>	

Classification of Request			
Harmonisation Impacting	X	Harmonisation Baseline Version No.	TBD
NI Specific		Operational	
RoI Specific		HWG Transfer Date	

Scope of Request							
Design Documentation	Business Process	Market & MP Systems	Market Gateway (Hub)	MPCC/ EMMA	Schema	Web Forms	Extranet
X							

Harmonisation Baseline Documents impacted by Request	
Market Messages:	No impact
Data Definitions:	No impact
Data Codes:	No impact
Value Lists:	No impact
RoI MM Guide:	No impact
NI MM Guide:	NI Market Message Implementation Guide - Data Processing
Harm. Impact (RoI):	No impact
Change Note (NI):	Yes
Comment:	

MCR	1018	To Allow Supplier Provided Readings received after 12 months to be validated in the same way as any other reading	<i>Priority</i> Fast Track
------------	-------------	--	--------------------------------------

Jurisdictional Market Design Baseline Documents impacted by Request	
Market Process Diagrams (MPDs):	No impact
Guidance Documentation	No impact
Briefing Documents:	No impact
User and Technical Documents:	No impact
Comment:	

PART 2 MARKET ASSURANCE:					
Applicability	DSO	Suppliers	TSO	SEMO	Generators
	X	X			
Scope of Test	Business Solution Assessment	Integration Test Assessment	Data Transfer Testing	IPT	Other (specify)

PART 3 RECOMMENDATION					
Recommended by		SIG	IGG	HWG	
ACCEPTANCE (Date)	REJECTION (Date)	NO RECOMMENDATION	COMMENT		
Reason for Recommendation					