

<b>MCR</b>		<b>1068</b>		<b>New MESN Code</b>		<i>Priority</i> <b>Fast Track</b>	
<b>Harmonisation Status</b>				CLOSED - Approved		<b>CR Status</b>	
						<b>Approved</b>	
						<b>Status Date</b>	
						18/05/2011	
<b>Date</b>	<b>Version</b>	<b>Reason For Change</b>				<b>Version Status</b>	
19/04/2011	v1.0	Initial version issued to HWG				Final	
18/5/2011	v2.0	Unchanged from DR. DR and MCR approved at same meeting				Final	
<b>PART 1 DETAIL OF DISCUSSION REQUEST/MARKET CHANGE REQUEST:</b>							
<b>Requesting Organisation(s)</b>	NIE			<b>Originating Jurisdiction</b>		NI	
<b>Contact name</b>	Joan-Edel Smith						
<b>Date Request Raised</b>	14/04/2011			<b>Originating Request</b>		DR 1068	
<b>Detail of Request</b>							
<b>Reason for Request</b>							
This Discussion Request proposes to add a new Medical Equipment Special Needs code to the harmonised schema.							
<b>Proposed Solution</b>							
To add a new Medical Equipment Special Needs value to the harmonised schema. The value will be "PV" and the Value Description will be "Patient Vital Signs Monitoring Systems". This value will only be used in NI. The following Market Messages will be impacted: 010, 013, 016, 101 and 105.							
<b>Classification of Request</b>							
<b>Harmonisation Impacting</b>			<b>X</b>		<b>Harmonisation Baseline Version No.</b>		<b>TBD</b>
<b>NI Specific</b>		<b>RoI Specific</b>		<b>Operational</b>		<b>Date of Transfer from HWG</b>	
<b>Scope of Request</b>							
<b>Design Documentation</b>	<b>Business Process</b>	<b>Market &amp; MP Systems</b>	<b>Market Gateway (Hub)</b>	<b>MPCC/ EMMA</b>	<b>Schema</b>	<b>Web Forms</b>	<b>Extranet</b>
<b>X</b>		<b>X</b>			<b>X</b>	<b>X</b>	<b>X</b>
<b>Harmonisation Baseline Documents impacted by Request</b>							
<b>Market Messages:</b>	No impact						
<b>Data Definitions:</b>	No impact						
<b>Data Codes:</b>	Yes						
<b>RoI MM Guide:</b>	No impact						
<b>NI MM Guide:</b>	NI Market Message Implementation Guide - Customer Data and Agreements, NI Market Message Implementation Guide - Meter Registration						
<b>Harm. Impact (RoI):</b>	Yes						
<b>Comment:</b>	ROI will not use this new MESN code. Schema is impacted as MESN codes are enumerated.						

<b>MCR</b>	<b>1068</b>	<b>New MESN Code</b>	<b>Priority Fast Track</b>
<b>Jurisdictional Market Design Baseline Documents impacted by Request</b>			
<b>Market Process Diagrams (MPDs):</b>	TBD		
<b>Guidance Documentation:</b>	TBD		
<b>Briefing Documents:</b>	TBD		
<b>User and Technical Documents:</b>	TBD		
<b>Comment:</b>	TBD		

<b>PART 2 MARKET ASSURANCE:</b>					
<b>Applicability</b>	DSO	Suppliers	TSO	SEMO	Generators
	<b>X</b>	<b>X</b>			
<b>Scope of Test</b>	Business Solution Assessment	Integration Test Assessment	Data Transfer Testing	IPT	Other (specify)
				<b>X</b>	

<b>PART 3 RECOMMENDATION</b>						
<b>Recommended by</b>		SIG		IGG	HWG	
<b>ACCEPTANCE (Date)</b>	<b>REJECTION (Date)</b>	<b>NO RECOMMENDATION</b>		<b>COMMENT</b>		
<b>Reason for Recommendation</b>						