

## Market Change Request

Change Request Number	Title	Priority
<i>MCR 0051</i>	Read date on multi function meters	<i>High</i>

### PART 1 CHANGE REQUEST:

<b>Name of Requesting Organisation</b>	<i>ESB CS</i>		
<b>Contact name</b>	<i>Paul Quinn</i>		
<b>Date Change Request Raised</b>	<i>21/04/05</i>	<b>Originating Discussion Doc</b>	<i>DR 0062</i>

### Detail of Change Request

For programmable devices used as NQH meters the population of the 'Read Date' should reflect the actual date of the recording of the read not the date it was read by the Meter Reader.

### Reason for Change Request

At present, for certain programmable devices the read date represents the date upon which the meter reader entered a reading and not the date to which the reading relates.

**See DR 0062 for full description of driver for change**

### Identification of Baseline Products Impacted

**MPD 14 – NQH Readings Processing V 4.4**

### Description of Trading & Settlement Code Impact (if any)

*No Impact*

<b>Date that ESB MOIP issue Change Request</b>	
<b>Date that ESB MOIP requires Response</b>	

**RESPONSES AND MODIFICATIONS:**

### Collation of Impact Assessment (*from Form C*)

Not Applicable

### Modifications Included

Not Applicable

### Reason for Modifications

Not Applicable

### PART 3 ESB MOIP ASSESSMENT & RECOMMENDATION:

---

<b>Part 3(a) ESB MOIP ASSESSMENT</b>
--------------------------------------

<b>Summary of Impact Assessment</b>
-------------------------------------

<b>Recommendation on Implementation Plan</b>
--

<b>Part 3(b) RECOMMENDATION</b>
---------------------------------

<b>ACCEPTED</b>	<b>REJECTED</b>	<b>NO DECISION</b>	<b>COMMENT</b>

<b>Reason for Recommendation</b>
----------------------------------

<b>Date of issue of ESB MOIP Assessment &amp; Recommendation</b>
--