

MCR 1033 Add Market Participant Business Reference to response Market Messages from ESB Networks			<i>Priority</i> Medium
Harmonisation Status		CLOSED - Jurisdictional Specific	CR Status Approved
		Status Date	26/10/2010
Date	Version	Reason For Change	Version Status
19/08/2010	v1.0	Initial draft as DR	Final
21/10/2010	v2.0	DR approved 12/10/10, changed to MCR for issue to Market. Issued for HWG workshop on 26th Oct 2010, no change from DR.	Final
08/02/2012	v3.0	DR 1076 merged with MCR 1033	Final
PART 1 DETAIL OF DISCUSSION REQUEST/MARKET CHANGE REQUEST:			
Requesting Organisation(s)	Bord Gais / Energia		Originating Jurisdiction RoI
Contact name	Steve Watson / Thomas Heasley		
Date Request Raised	19/08/2010	Originating Request	DR 0181
Detail of Request			
Reason for Request			
<p>With the increase in the volumes of Domestic customers changing Supplier, Market Participants are experiencing a rise in the number of issues around CoLEs. In situations where there are multiple CoLEs in a short period of time, difficulties arise in associating the correct CoLE read with the initiating CoLE 016 Market Message. This can prove to be both time-consuming and tedious. It would therefore be of major benefit to Suppliers in resolving issues around CoLE readings, to have the Market Participant Business Reference field populated on both the relevant 300 and any associated 300W Market Message, thus enabling Supplier to more readily identify the originating 016 message.</p> <p>This issue is also relevant for Special Reads. Supplier issues could be resolved by having the Market Participant Business Reference field which is populated on the incoming 252 message, returned on the relevant 300S message. This would enable further alignment between ROI and NI in the Harmonised special read process.</p>			
Proposed Solution			
<p>The Market Participant Business Reference is provided in the Message Header of the 016 MM sent by the Supplier to request a CoLE. Currently, this field is not populated on the 300 MM which issues with the CoLE read(s). If populated, this reference would enable the Supplier to uniquely identify the original 016 (CoLE) message to which the 300 MM is the response. There is a requirement now for ESB Networks to populate this Market Participant Business Reference on the 300 MM which is sent to the Supplier with the CoLE reading(s).</p> <p>This field already exists in the Schema for the 300 and 300W MMs, as an optional field on the MPRN level information, in both cases. This request will therefore not necessitate a change to the Schema.</p> <p>For Special Reads, it has been identified that currently when a 252 MM is sent to ESB with a MP Business Ref number populated, the subsequent 300S is returned without that reference in the message. Investigation by ESB Networks has found that the original design at market opening did not include a MP Business reference link between the 252 and 300S and this still appears to be the case. It is important for supplier internal processes relating to harmonisation that this link is included in ROI so that this is consistent with NI.</p> <p>Any subsequent 300W Market Message, signifying withdrawal of the CoLE or Special reading(s), would also require to have the MP Bus Reference number populated.</p>			
Classification of Request			
Harmonisation Impacting		Harmonisation Baseline Version No.	
NI Specific		Operational	TBD
	RoI Specific	HWG Transfer Date	
	X		
Scope of Request			
Design Documentation	Business Process	Market & MP Systems	Market Gateway (Hub)
X		X	

MCR	1033	Add Market Participant Business Reference to response Market Messages from ESB Networks	<i>Priority</i> Medium			
Harmonisation Baseline Documents impacted by Request						
Market Messages:	No impact					
Data Definitions:	No impact					
Data Codes:	No impact					
Value Lists:	No impact					
RoI MM Guide:	No impact					
NI MM Guide:	No impact					
Harm. Impact (RoI):	No impact					
Change Note (NI):	No impact					
Comment:	No impact					
Jurisdictional Market Design Baseline Documents impacted by Request						
Market Process Diagrams (MPDs):	No impact					
Guidance Documentation	No impact					
Briefing Documents:	No impact					
User and Technical Documents:	No impact					
Comment:	Message Specific Information 300 Market Message Message Specific Information 300W Market Message					
PART 2 MARKET ASSURANCE:						
Applicability		DSO	Suppliers	TSO	SEMO	Generators
		X	X			
Scope of Test		Business Solution	Integration Test Assessment	Data Transfer Testing	IPT	Other (specify)
PART 3 RECOMMENDATION						
Recommended by		SIG		IGG		HWG
ACCEPTANCE (Date)	REJECTION (Date)	NO RECOMMENDATION	COMMENT			
Reason for Recommendation						

Appendix 1 – Existing optional field on MM 300 (MPRN Level information) and MM 300W (MPRN Level informatio

