

<b>CoBLCR 008</b>		<b>New Keypad RM Codes</b>	
<b>CoBLCR Status</b>	Implemented	<b>Status Date</b>	26/03/2014

Date	Version	Reason for Change	Version Status
25/02/2014	0.1	Initial Draft	Draft
19/03/2014	1.0	Issued to market	Final

<b>Part 1 DETAIL OF CoBL CHANGE REQUEST</b>			
<b>Requesting Organisation(s)</b>	ESB Networks	<b>Originating Jurisdiction</b>	ROI
<b>Request Originator Name</b>	Claire O'Sullivan – Asset Management		
<b>Date Request Raised</b>	25/02/2014		
<b>Date of Forum where discussed</b>	26/03/2014		

<b>Classification of CoBLCR</b>		
<b>CoBLCR Type</b>	Code Change - Non Enumerated	
<b>Jurisdictional Applicability</b>	ROI	<b>Comments</b>
Co-ordinated Baseline Documentation impacted	Yes	
Co-ordinated Baseline	Data Definitions <input type="checkbox"/> Data Codes <input checked="" type="checkbox"/> ROI MM Implement. Guide <input type="checkbox"/> NI MM Implement. Guide <input type="checkbox"/>	
ROI – Market Baseline docs	ARIS MM <input checked="" type="checkbox"/> ARIS Message Specific Info <input type="checkbox"/> ARIS MPDs <input type="checkbox"/> ARIS Supplementary info <input type="checkbox"/> Briefing Documents <input type="checkbox"/> Guidance Documents <input type="checkbox"/>	
NI - Market Baseline Doc Impacted	NI Market Procedures <input type="checkbox"/> NI Market Guides <input type="checkbox"/>	

**Details of CoBL Change Request****Background Reason for Change**

Changes to Keypad Meter – The new RM codes are required in order to readily identify a particular Model type of a Meter or Metering equipment following installation. There is a change to keypad meter model used and this needs to be identified via a new RM code.

The RM Codes are a coded value under Data Item Meter Category.

**Description of Change**

RM282 - Hardwired  
RM283 - DLC  
RM284 - Hardwired  
RM285 - DLC

- *Please use F1 key on any of the grey entry fields within the form to get help.*

## Appendix A

### CoBLCR Criteria

*This form invokes an accelerated change process to introduce new code values for non-enumerated (non schema validated) codes/fields that already exist in the retail market design OR corrections or amendments to the CoBL document only (i.e. non conformances that are limited to non technical changes). Coded value changes will be implemented outside of a market release by the DSOs.*

*Changes to the CoBL will be effected through a Co-ordinated Minor Market Release (Co-MMR) i.e. documentation change to the baseline only.*

### Code Changes:

*To be eligible for this process, a code field must:*

- *already exist in the retail market design:*
  - *Be in the current version of the market design*
  - *Be in the current version of the XML schema*
- *Be a non-enumerated code:*
  - *The current version of the XML schema does not list the permissible values of the code i.e. schema validation is on length, type and/or format only not on actual code.*
  - *The CoBL contains the list of values for informational purposes.*
  - *Market participants may or may not process the code in their back end systems in order to meet their licence and/or assurance obligations.*
  - *If the code is used, the CoBLCR forms the communication mechanism for informing Market Participants of changes or additions to codes within the CoBL.*

### Non Conformances

- *A CoBL non conformance can be defined as a textual error within the CoBL documentation. It will NOT involve any change to the XML schema.*
- *Examples of a CoBL Non Conformance include but are not limited to:*
  1. *Data item omissions from the data item tab*
  2. *Inconsistent representation of data items across tabs*
  3. *Missing Attributes/information from data items.*
  4. *Cosmetic inaccuracies (spelling, grammar etc)*