

<b>Code Change Request 011</b>		<b>New Meter RM Codes</b>	
<b>CoBLCR Status</b>	Approved at ReMCoWG as ROI Specific	<b>Status Date</b>	02/09/2015

Date	Version	Reason for Change	Version Status
26/08/2015	1.0	Issued to Market	Final

<b>Part 1 DETAIL OF CoBL CHANGE REQUEST</b>			
<b>Requesting Organisation(s)</b>	ESB Networks	<b>Originating Jurisdiction</b>	ROI
<b>Request Originator Name</b>	Claire O'Sullivan		
<b>Date Request Raised</b>	03/07/2015		
<b>Date of Forum where discussed</b>	02/09/2015		

<b>Classification of CoBLCR</b>		
<b>CoBLCR Type</b>	Code Change - Non Enumerated	
<b>Jurisdictional Applicability</b>	ROI	<b>Comments</b>
Co-ordinated Baseline Documentation impacted	Yes	
Co-ordinated Baseline	Data Definitions <input type="checkbox"/> Data Codes <input checked="" type="checkbox"/> ROI Market Message Guide <input type="checkbox"/> NI Market Message. Guide <input type="checkbox"/>	
ROI – Market Baseline docs	Market Message <input checked="" type="checkbox"/> Message Specific Info <input type="checkbox"/> MPDs <input type="checkbox"/> Briefing Documents <input type="checkbox"/> Guidance Documents <input type="checkbox"/>	
NI - Market Baseline Doc Impacted	NI Market Procedures <input type="checkbox"/> NI Market Guides <input type="checkbox"/>	

**Details of CoBL Change Request****Background Reason for Change**

Meter Asset management, have entered into new meter supply contracts and some of the meter types in the new contract are different to the previous contract.

RM Codes are used to define different metering Materials.  
4 new codes are required.. The RM Codes are a coded value under Data Item Meter Category.

**Description of Change**

New Code	Material Description in SAP
RM260	1 PHASE IMP/EXP QH 20(100)
RM427	1 PH ELEC CT ST/DT 5(10)
RM554	3 PHASE IMP/EXP QH 20(100)
RM653	3 PHASE ELEC CT QH 5(10)

## Appendix A

### CoBLCR Criteria

*This form invokes an accelerated change process to introduce new code values for non-enumerated (non schema validated) codes/fields that already exist in the retail market design OR corrections or amendments to the CoBL document only (i.e. non conformances that are limited to non technical changes). Coded value changes will be implemented outside of a market release by the DSOs.*

*Changes to the CoBL will be effected through a Co-ordinated Minor Market Release (Co-MMR) i.e. documentation change to the baseline only.*

### Code Changes:

*To be eligible for this process, a code field must:*

- *already exist in the retail market design:*
  - *Be in the current version of the market design*
  - *Be in the current version of the XML schema*
- *Be a non-enumerated code:*
  - *The current version of the XML schema does not list the permissible values of the code i.e. schema validation is on length, type and/or format only not on actual code.*
  - *The CoBL contains the list of values for informational purposes.*
  - *Market participants may or may not process the code in their back end systems in order to meet their licence and/or assurance obligations.*
  - *If the code is used, the CoBLCR forms the communication mechanism for informing Market Participants of changes or additions to codes within the CoBL.*

### Non Conformances

- *A CoBL non conformance can be defined as a textual error within the CoBL documentation. It will NOT involve any change to the XML schema.*
- *Examples of a CoBL Non Conformance include but are not limited to:*
  1. *Data item omissions from the data item tab*
  2. *Inconsistent representation of data items across tabs*
  3. *Missing Attributes/information from data items.*
  4. *Cosmetic inaccuracies (spelling, grammar etc)*